



Quality, service, and customer satisfaction is our driving force.



AFRIQ ATF DXIII SYNTHETIC

DESCRIPTION

This is a superior quality automatic transmission fluid fully synthetic DEXRON III. Based on AFRIQ XHVI synthetic base fluid, it is the ultimate performance automatic transmission fluid allowing extended drain intervals even under the most severe conditions.

APPLICATION

- Automotive automatic transmissions
- Automotive hydraulic systems
- Power steering
- Certain manual transmissions

PERFORMANCE FEATURES

- Excellent shift feeling
- Extremely low temperature fluidity
- Shear stable
- Wear protection
- Maximum oil drain interval potential
- High temperature oxidation stability

PERFORMANCE SPECIFICATIONS

MEETS OR EXCEEDS:

- GENERAL MOTORS GM DEXRON III
- FORD MERCON
- NEW MERCON
- CAT TO-2
- ALLISON C4
- MAN 339 TYPE Z-1 AND V-1
- MAN 339 TYPE Z-2 AND V-2
- MB 236.1 AND MB 236.5
- ZF TE ML 02F, 03D,04D,09B,11B,14A AND 17C
- VOITH 55.6335



TYPICAL PHYSICAL CHARACTERISTICS

Kinematic Viscosity @ 40 ° C	33.2
@ 100 ° C (IP 71)	7.2
Viscosity Index (IP 226)	189
Density @ 15 ° C (IP 365)	0.847
Flash Point (PMCC), ° C (IP 34)	165
POUR POINT ° C (IP15)	-48