



Quality, service, and customer satisfaction is our driving force.



## AFRIQ BEARING OIL 100, 150, 220, 320, 460, 680 & 1000

### DESCRIPTION

Afriq Bearing Oils are superior performance bearing lubes. Premium base oils with an effective sulphur-phosphorous EP additive system minimize wear of enclosed bearings and other equipment operating under heavy loads and shock conditions.

These premium bearing lubes utilize high viscosity index (HVI) base oils to provide high flash points, low volatility and superior oxidation stability. They provide outstanding protection in industrial bearing sets operating under severe conditions, such as intermittent shock loads, high peak loads and heavy tooth loads.

### These quality extreme-pressure bearing oils offer:

- Superior bearing protection
- Excellent anti-foam protection
- Excellent rust and corrosion protection
- Outstanding demulsibility characteristics
- Resistance to oxidative sludge and varnish

Afriq Bearing Oils are ideal for heavy-loaded enclosed bearing sets where extreme-pressure properties and adequate film strength are critical.

### PERFORMANCE LEVELS

#### MEETS OR EXCEEDS:

- US STEEL 224
- AGMA 250.04, 251.02
- DAWID BROWN S1.53.101
- DIN 51517, PART 3
- CINCINNATI MACHINE



## KEY PROPERTIES

IGO	100	150	220	320	460	680	1000
Viscosity @ 40 °C	100	150	220	320	460	680	1000
Viscosity Cst @ 100 °C	11.4	15	19.4	25	30.8	38	43.8
Viscosity Index	100	100	100	100	97	92	84
Density @ 20 °C	0.891	0.897	0.899	0.903	0.904	0.912	0.931
Flash Point °C (Min)	193	196	199	202	204	204	205
Pour Point °C (Max)	-27	-21	-18	-15	-9	-9	-9



**Manufacturers of all Automotive; Industrial and Agricultural Lubricants.**